

Docket No.: CFBR-P02-004


This is a continuation of U.S. Serial No.: 08/948,393 filed
10/10/97

Title: Method for Treating and Preventing Atherosclerosis

Atty: William G. Gosz

Reg. No. 27,787

Aortic Sinus Lesions in LDL-Receptor $-/-$ Mice on Atherogenic Diet for 8 Weeks



zero
lpe+/+

Fig. 1

Docket No.: CFBR-P02-004

This is a continuation of U.S. Serial No.: 08/948,393 filed
10/10/97

Title: Method for Treating and Preventing Atherosclerosis

Atty: William G. Gosz

Reg. No. 27,787


**Atherosclerotic lesion in entire
aortae of LDLR-deficient mice
on diet for 22 or 37 weeks**

Fig. 2

Docket No.: CFBR-P02-004

This is a continuation of U.S. Serial No.: 08/948,393 filed 10/10/97

Title: Method for Treating and Preventing Atherosclerosis

Atty: William G. Gosz

Reg. No. 27,787

**Aortic sinus lesions in LDLR-deficient
mice on diet for 8 weeks**




Fig. 3

Docket No.: CFBR-P02-004

This is a continuation of U.S. Serial No.: 08/948,393 filed 10/10/97

Title: Method for Treating and Preventing Atherosclerosis

Atty: William G. Gosz

Reg. No. 27,787

Atherosclerotic lesion development in the aortic sinus of LDLR-deficient mice




Fig. 4

Docket No.: CFBR-P02-004

This is a continuation of U.S. Serial No.: 08/948,393 filed 10/10/97

Title: Method for Treating and Preventing Atherosclerosis

Atty: William G. Gosz

Reg. No. 27,787

**Lesion calcification in the aortic sinus of
LDLR-deficient mice on diet for 37 weeks**



PE +/+

(93% of mice with calcification)

PE -/-

(20% of mice with calcification)

Lesions were stained with oil red O, hematoxylin, and light green.
Calcium deposit was identified by hematoxylin stain.

Fig. 5